


ZHAOZHAN 兆展

Portable Type CNC plasma cutting machine

Model: ZZ-1530H-OEM



- ◆ Supply Flame & Plasma
- ◆ Easy to use
- ◆ Portable & Light weight
- ◆ Precision: $\pm 0.2\text{mm}$
- ◆ System language: English, Russia, Spanish, etc
- ◆ Embedded plasma THC



Features

ZZ-1530H-OEM is a new mode of Zhaozhan Family Portable CNC cutting machines. It is an innovative version of portable CNC cutting machines. This new ZZ-1530H-OEM have many new features to better your needs and your customer it is easy to use and economical.

Powerful Control System



2100T Hardware Configuration

- Monitor: 7 inch, 800*480, high definition 16 million colors and high brightness LCD
- Memory: 64M SDRAM
- Program space available for user: 256M electronic hard disk
- System master frequency: 400MHz
- USB: USB 1.1 front interface, at least 16GB U disk supportable
- Keyboard: electronic PCB foil keyboard
- Chassis: full-steel structure completely

Hypertherm Plasma power as Optional

Hypertherm
Cut with confidence®




Parameter

Model	ZZ-1530H-OEM
Input power	220±10%V AC 50HZ/60HZ 220W
Cutting modes	Plasma cutting (working with plasma generator) and Flame cutting replacement used
Transmission style	Rack and Gear
Motor Style	Step motors single drive
Cutting speed	0-3000 mm/min(Max. 4000mm/min)
Effective cutting range	X:1500mm Y:3000mm Z:90mm
Working Precision	±0.2mm
Flame cutting thickness	Piercing capacity:5-60mm Edge Start:5-120mm
Plasma cutting thickness	Depends on the cutting capacity of plasma generator
Gas Pressure	Acetylene Gas or Propane Gas Max. 0.1Mpa
Oxygen Pressure	Oxygen Gas Max 0.7Mpa
Nesting Software	FastCAM
Cutting Table	Optional

Feature of System

- 45 categories different graphics (including grid pattern), chip part and hole part are alternative.
- Graphics have some operations such as Proportion, Rotate, Mirror.
- Graphics can be arrayed in matrix, interaction, stacked modes
- According to plate thickness, the cutting speed is automatically restricted by a speed limit in the corner, effectively preventing over burn.
- Metric system/ imperia system switch
- Steel plate can be adjusted according to any steel side.
- Coordinate system can be customized to support the two-dimensional coordinates of all eight kinds.
- All input and output port type and the number can be customized (normally open or normally closed)
- System and parameters backup, update system online.
- Chinese / English (including Japanese, Russian, French and other languages)file system and menu can be switched only by one key.



Hypertherm®
Cut with confidence™



Easy & Reliable & Performance



Economical Portable CNC Plasma Cutting Machine

OEM version VS Regular Portable model

To Compared with our regular Portable CNC plasma cutting machine , you can fine some good advantage . From August 1st, 2014 , this OEM version begin to develop and sell in advance. Now it is in hot sale to around the world.


Economical



Name	OEM portable CNC cutting machine	Zhaozhan portable CNC cutting machine
Model	ZZ-1530H-OEM	ZZ-1530H
Appearance	Appearance remain same except minor changes	
Color(side board)	Orange	black
System	F2100T	F2100B
Software	Unmodified	
THC Device	embedded	External
Drive& motor	Unmodified	
Electronic components	Local brand	Imported brand
Lift part	Unmodified	
X rail	Standard	consolidation
Y rail	Standard	Heavy rail
structure	Fine adjustment	



Cutting Workpieces



CERTIFICATE



Shanghai Zhaozhan Automation Equipment Co., Ltd

Add: Located at Block 2, No. 25 Hangdu Road, Pudong New District, Shanghai, China.

Tel:0086-21-60979388-804 Fax: 0086-21-60979381

Mob:0086-13120953010 Skype: cnzhaozhan1

Line:754766750 QQ:2557281402

Email:zhaozhan01@cnzhaozhan.com

www.cnzhaozhan.com