

Laser Tracker Tooling



BT-A-Y-BPSM-Y

1.5" Ball Probe Seat Monument -
Hard Coat Aluminum - Black



BT-A-Y-BPSM-Y-B

1.5" Ball Probe Seat Monument -
Basic (Non Hard Coat)



BT-A-Y-BPSM-Y-BSM

1.5" Ball Probe Seat Monument
With Back Side Magnets - Hard
Coat Aluminum - Black



BT-A-Y-BPSM-Y-K

1.5" Ball Probe Seat Monument -
Kinematic



BT-A-Y-BPSM-Y-P

1.5" Ball Probe Seat Bolt on
Aluminum Monument



BT-A-Y-BPSM-Y-P-CAP

Plastic Cap for 1.5" Ball Probe
Seat Bolt on Aluminum
Monument



BT-A-Y-LCP

1.5" Ball Probe Seat Layout
Center Punch



BT-A-Z-BPSM-Y-BSM

1.5" Ball Probe Seat Monument
With Back Side Magnets -
Stainless Steel



BT-A-Z-BPSM-Y-E

1.5" Ball Probe Seat Monument -
Epoxy - Stainless Steel



BT-A-Z-BPSM-YY-E

1.5" Ball Probe Seat Monument -
Epoxy - Stainless Steel with
Extra Strength Magnet



BT-A-Z-BPSM-N-B

1.5" Ball Probe Seat Monument -
Bolt On (No Magnet) - Stainless
Steel



BT-A-Z-BPS-x25-1-Y

1.5" Ball Probe Seat with 1/4" Pin



BT-A-Z-BPS-x25-1-Y-BZ

1.5" Ball Probe Seat with 1/4"
Pin - Cutout



BT-A-Z-BPS-x25-20-T-Y

1.5" Tripod Ball Probe Seat - 1/4"-
20 Thread



BT-A-Z-BPS-X-1-Y

1.5" Flat Ball Probe Seat



BT-A-Z-BPS-X-1-Y-BSM

1.5" Flat Ball Probe Seat with
Back Side Magnets



BT-A-Z-BPSM-N-W

1.5" Ball Probe Seat Monument -
Weld On (No Magnet) - Stainless
Steel



BT-A-Z-BPSM-Y

1.5" Ball Probe Seat Monument -
Stainless Steel

Laser Tracker Tooling



BT-A-Z-BPSM-Y-B

1.5" Ball Probe Seat Monument - Bolt On - Stainless Steel with SS Lid



BT-A-Z-BPSM-Y-B-AL

1.5" Ball Probe Seat Monument - Bolt On - Stainless Steel with Aluminum Lid



BT-A-Z-BPS-x125-1-Y

1.5" Ball Probe Seat with 1/8" Pin



BT-A-Z-BPS-x125-1-Y-BZ

1.5" Ball Probe Seat with 1/8" Pin - Cutout



BT-A-Z-BPS-1/4-20-Y

1.5" Ball Probe Seat with 1/4-20 Threaded Pin



BT-A-Z-BPS-1/4-28-Y

1.5" Ball Probe Seat with 1/4-28 Thread Pin



BT-A-Z-BPS-3/8-16-Y

1.5" Ball Probe Seat with 3/8-16 Threaded Pin



BT-A-Z-BPS-x3125-1-Y

1.5" Ball Probe Seat with 5/16" Pin



BT-A-Z-BPS-1-1-Y

1.5" Ball Probe Seat with 1" Pin and 1" Offset



BT-A-Z-BPS-1-1-Y-N

1.5" Ball Probe Seat with 1" Pin and 1" Offset - Negative Cutout



BT-A-Z-BPS-x375-1-Y

1.5" Ball Probe Seat with 3/8" Pin



BT-A-Z-BPS-x4375-1-Y

1.5" Ball Probe Seat with 7/16" Pin



BT-A-Z-BPS-1x125-Y-P

1.5" Ball Probe Seat - Bolt-On Stainless Steel



BT-A-Z-BPS-x5-1-Y

1.5" Ball Probe Seat with 1/2" Pin



BT-A-Z-BPS-x625-11-T-Y

1.5" Tripod Ball Probe Seat - 5/8"-11 Thread



BT-A-Z-BPS-x625-1-Y

1.5" Ball Probe Seat with 5/8" Pin



BT-A-Z-BPS-x75-1-Y

1.5" Ball Probe Seat with 3/4" Pin



BT-A-Z-BPS-x875-1-Y

1.5" Ball Probe Seat with 7/8" Pin

Laser Tracker Tooling



BT-A-Z-BPS-xC-1-Y

1.5" Ball Probe Seat with Custom Pin



BT-A-Z-BPS-xC-25MM-Y

1.5" Ball Probe Seat with Custom Pin - 25MM Offset



BT-A-Z-BPS-X-G-Y

1.5" Ground Ball Probe Seat



BT-A-Z-BPS-X-W-Y

1.5" Flat Ball Probe Seat - Weld



BT-A-Z-CP-1x15-25MM-Y

1.5" Ball Probe Seat Center Punch - 25MM Offset



BT-A-Z-CP-1x15-Y

1.5" Ball Probe Seat Center Punch



BT-A-Z-CPF

1.5" Ball Probe Seat Center Punch Finder



BT-A-Z-E-1-Y

1.5" Edge Ball Probe Seat



BT-A-Z-E-25MM-Y

1.5" Edge Ball Probe Seat - 25MM Offset



BT-A-Z-EI-1-Y

1.5" Edge Ball Probe Seat - Inside



BT-A-Z-PA-X-Y

1.5" Ball Probe Pole Adapter



BT-A-Z-RB-10MM

Laser Tracker to Arm Reset Ball (for 10 mm probe)



BT-A-Z-RB-15MM

Laser Tracker to Arm Reset Ball (for 15 mm probe)



BT-A-Z-RB-3MM

Laser Tracker to Arm Reset Ball (for 3 mm probe)



BT-A-Z-RB-4MM

Laser Tracker to Arm Reset Ball (for 4 mm probe)



BT-A-Z-RB-6MM

Laser Tracker to Arm Reset Ball (for 6 mm probe)



BT-A-Z-RB-TS

Laser Tracker to Total Station Reset Ball



BT-A-Z-XLE-1-Y

1.5" XL Edge Ball Probe Seat

Laser Tracker Tooling



BT-A-ZY-BPSM-Y-B

1.5" Ball Probe Seat Monument - Bolt On - Stainless Steel with Anodized aluminum lid



BT-A-ST-BPSM-W-YT

1.5" Ball Probe Seat Monument - Weld On (Magnet - Removable from the Top) - Steel



BT-A-Z-BPS-4MM-25MM-Y

1.5" Ball Probe Seat with 4MM Pin - 25MM Offset



BT-B-Y-BPSM-Y

0.875" Ball Probe Seat Monument - Hard Coat Aluminum - Black



BT-A-Z-BPS-5MM-25MM-Y

1.5" Ball Probe Seat with 5MM Pin - 25MM Offset



BT-A-Z-BPS-10MM-25MM-Y-M

1.5" Ball Probe Seat with 10MM Pin with Magnets on Face



BT-A-Z-BPS-6MM-25MM-Y

1.5" Ball Probe Seat with 6MM Pin - 25MM Offset



BT-A-Z-BPS-12MM-25MM-Y

1.5" Ball Probe Seat with 12MM Pin - 25MM Offset



BT-A-Z-BPS-6MM-25MM-Y-N

1.5" Ball Probe Seat with 6MM Pin - 25MM Offset - with Negative Cutout



BT-B-Y-BPSM-Y-B

0.875" Ball Probe Seat Monument - Basic (Non Hard Coat)



BT-A-Z-BPS-8MM-1-Y

1.5" Ball Probe Seat with 8MM Pin - 1" Offset



BT-B-Z-BPAD-x5-x875

0.5"to 0.875" Ball Probe Adapter



BT-A-Z-BPS-8MM-25MM-Y

1.5" Ball Probe Seat with 8MM Pin - 25MM Offset



BT-B-Z-BPAD-x875-1x5

0.875"to 1.5" Ball Probe Adapter



BT-A-Z-BPS-8MM-25MM-Y-M

1.5" Ball Probe Seat with 8MM Pin with Magnets on Face



BT-B-Z-BPS-10MM-1-Y

0.875" Ball Probe Seat with 10mm Pin - 1" offset



BT-A-Z-BPS-10MM-25MM-Y

1.5" Ball Probe Seat with 10MM Pin - 25MM Offset



BT-B-Z-BPS-10MM-25MM-Y

0.875" Ball Probe Seat with 10mm Pin - 25mm offset

Laser Tracker Tooling

 BT-B-Z-BPS-10MM-X5-Y 0.875" Ball Probe Seat with 10mm Pin - 0.5" Offset	 BT-B-Z-BPS-8MM-1-Y 0.875" Ball Probe Seat with 8mm Pin - 1" offset
 BT-B-Z-BPS-12MM-1-Y 0.875" Ball Probe Seat with 12mm Pin - 1" offset	 BT-B-Z-BPS-8MM-25MM-Y 0.875" Ball Probe Seat with 8mm Pin - 25mm offset
 BT-B-Z-BPS-12MM-25MM-Y 0.875" Ball Probe Seat with 12mm Pin - 25mm offset	 BT-B-Z-BPS-8MM-X5-Y 0.875" Ball Probe Seat with 8mm Pin - 0.5" Offset
 BT-B-Z-BPS-12MM-X5-Y 0.875" Ball Probe Seat with 12mm Pin - 0.5" Offset	 BT-B-Z-BPSM-Y-B 0.875" Ball Probe Seat Monument - Bolt On - Stainless
 BT-B-Z-BPS-4MM-1-Y 0.875" Ball Probe Seat with 4mm Pin - 1" offset	 BT-B-Z-BPS-x125-1-Y 0.875" Ball Probe Seat with 1/8" Pin - 1" offset
 BT-B-Z-BPS-6MM-12MM-Y 0.875" Ball Probe Seat with 6mm - 12mm Offset	 BT-B-Z-BPS-x125-x5-N 0.875" Ball Probe Seat with 1/8" Pin - 0.5" offset - No Magnet
 BT-B-Z-BPS-6MM-1-Y 0.875" Ball Probe Seat with 6mm Pin - 1" offset	 BT-B-Z-BPS-X-1-Y 0.875" Flat Ball Probe Seat
 BT-B-Z-BPS-6MM-25MM-Y 0.875" Ball Probe Seat with 6mm - 25mm Offset	 BT-B-Z-BPS-x25-1-Y 0.875" Ball Probe Seat with 1/4" Pin - 1" Offset
 BT-B-Z-BPS-6MM-X5-Y 0.875" Ball Probe Seat with 6mm Pin - 0.5" Offset	 BT-B-Z-BPS-X-25MM-Y 0.875" Flat Ball Probe Seat

Laser Tracker Tooling

	BT-B-Z-BPS-x25-x5-Y 0.875" Ball Probe Seat with 1/4" Pin - 0.5" Offset		BT-C-Y-BPSM-x825-Y-B 0.5" Ball Probe Seat Monument - Non hard coat anodize (0.825 diameter)
	BT-B-Z-BPS-x3125-1-Y 0.875" Ball Probe Seat with 5/16" Pin - 1" Offset		BT-C-Z-BPAD-x5-1x5 0.5"to 1.5" Ball Probe Adapter
	BT-B-Z-BPS-x375-1-Y 0.875" Ball Probe Seat with 3/8" Pin - 1" Offset		BT-C-Z-BPH-Y 0.5" Ball Probe Handle
	BT-B-Z-BPS-x5-1-Y 0.875" Ball Probe Seat with 1/2" Pin - 1" Offset		BT-C-Z-BPS-#30-x3125-Y 0.5" Ball Probe Seat with #30 Pin - 0.3125" Offset
	BT-B-Z-BPS-x5-x5-Y 0.875" Ball Probe Seat with 1/2" Pin - 1/2" Offset		BT-C-Z-BPS-#30-x5-Y 0.5" Ball Probe Seat with #30 Pin
	BT-B-Z-BPS-xC-X5-Y 0.875" Ball Probe Seat with Custom Pin		BT-C-Z-BPS-10/32-x5-Y 0.5" Ball Probe Seat with 10/32 Thread Pin
	BT-B-Z-BPS-X-G-Y 0.875" Ground Ball Probe Seat		BT-C-Z-BPS-10MM-10MM-Y 0.5" Ball Probe Seat with 10mm Pin - 10mm Offset
	BT-B-Z-BPS-X-W-Y 0.875" Flat Ball Probe Seat - Weld		BT-C-Z-BPS-10MM-12MM-Y 0.5" Ball Probe Seat with 10MM Pin
	BT-C-Y-BPSM-x750-Y-B 0.5" Ball Probe Seat Monument - Non hard coat anodize (0.750 diameter)		BT-C-Z-BPS-12MM-10MM-Y 0.5" Ball Probe Seat with 12mm Pin - 10mm Offset

Laser Tracker Tooling

	BT-C-Z-BPS-12MM-12MM-Y 0.5" Ball Probe Seat with 12mm Pin - 12mm Offset		BT-C-Z-BPS-6MM-25MM-Y 0.5" Ball Probe Seat with 6mm Pin - 25mm Offset
	BT-C-Z-BPS-12MM-12MM-Y-N 0.5" Ball Probe Seat with 12mm Pin - 12mm Offset - with Negative Cutout		BT-C-Z-BPS-8MM-10MM-Y 0.5" Ball Probe Seat with 8mm Pin - 10mm Offset
	BT-C-Z-BPS-4MM-10MM-Y 0.5" Ball Probe Seat with 4mm Pin - 10mm Offset		BT-C-Z-BPS-8MM-12MM-Y 0.5" Ball Probe Seat with 8mm Pin - 12mm Offset
	BT-C-Z-BPS-4MM-12MM-Y 0.5" Ball Probe Seat with 4MM Pin		BT-C-Z-BPS-S-O1-O2-Y 0.5" Vector Ball Probe Seat
	BT-C-Z-BPS-4MM-x5-Y 0.5" Ball Probe Seat with 4MM Pin - .5" Offset		BT-C-Z-BPS-x10MM-x20MM-Y 0.5" Ball Probe Seat with 10mm Pin
	BT-C-Z-BPS-5MM-10MM-Y 0.5" Ball Probe Seat with 5mm Pin - 10mm Offset		BT-C-Z-BPS-X-10MM-Y 0.5" Flat Ball Probe Seat 10MM Offset
	BT-C-Z-BPS-6MM-10MM-Y 0.5" Ball Probe Seat wit 6mm Pin - 10mm Offset		BT-C-Z-BPS-x125-1-Y 0.5" Ball Probe Seat with 1/8" Pin - 1" Offset
	BT-C-Z-BPS-6MM-12MM-Y 0.5" Ball Probe Seat with 6MM Pin		BT-C-Z-BPS-x125-x3125-Y 0.5" Ball Probe Seat with 1/8" Pin - 0.3125" Offset
	BT-C-Z-BPS-6MM-20MM-Y 0.5" Ball Probe Seat with 6mm Pin - 20mm Offset		BT-C-Z-BPS-x125-x5-Y 0.5" Ball Probe Seat with 1/8" Pin

Laser Tracker Tooling

	BT-C-Z-BPS-X-12MM-Y 0.5" Flat Ball Probe Seat 12MM Offset		BT-C-Z-BPS-x375-x5-Y 0.5" Ball Probe Seat with 3/8" Pin - .5" Offset
	BT-C-Z-BPS-x1875-x5-Y 0.5" Ball Probe Seat with .1875" Pin - .5" Offset		BT-C-Z-BPS-x4375-x5-Y 0.5" Ball Probe Seat with .4375" Pin - .5" Offset
	BT-C-Z-BPS-x25-10MM-Y 0.5" Ball Probe Seat with 1/4" Pin - 10mm Offset10MM-Y		BT-C-Z-BPS-x5-x5-Y 0.5" Ball Probe Seat with .5" Pin - .5" Offset
	BT-C-Z-BPS-x25-1-Y 0.5" Ball Probe Seat with 1/4" Pin - 1" Offset		BT-C-Z-BPS-X-W-Y 0.5" Flat Ball Probe Seat - Weld
	BT-C-Z-BPS-x25-28T-x5-Y 0.5" Ball Probe Seat with 1/4"-20 Threaded Pin - .5" Offset		BT-C-Z-BPS-X-x5-Y 0.5" Flat Ball Probe Seat - .5" Offset
	BT-C-Z-BPS-x25-x3125-Y 0.5" Ball Probe Seat with 1/4" Pin - 0.3125" Offset		BT-C-Z-BPS-X-x5-Y-N 0.5" Flat Ball Probe Seat - Negative
	BT-C-Z-BPS-x25-x5-Y 0.5" Ball Probe Seat with 1/4" Pin - .5" Offset		BT-C-Z-CP-x5-Y 0.5" Center Punch Ball Probe Seat
	BT-C-Z-BPS-x25-x5-Y-N 0.5" Ball Probe Seat with 1/4" Pin - .5" Offset with Negative Cuttout		BT-C-Z-E-12MM-Y 0.5" Edge Ball Probe Seat - 12MM Offset
	BT-C-Z-BPS-x3125-x5-Y 0.5" Ball Probe Seat with 5/16" Pin - .5" Offset		BT-C-Z-E-1-Y 0.5" Edge Ball Probe Seat - 1" Offset

Laser Tracker Tooling



BT-C-Z-E-x5-Y

0.5" Edge Ball Probe Seat



BT-C-Z-INV-BPSM-T-Y

0.5" Ball Probe Seat Monument - Hi Temp



BT-C-Z-RB-3MM

Laser Tracker to Arm Reset Ball (for 3 mm probe) - 0.5" Sphere



BT-A-Z-BPS-X-25MM-Y

1.5" Flat Ball Probe Seat - 25MM Offset



BT-D-Z-MPM

Mini Pin Monument For 0.25" Pin (Stainless Steel) 1" OD



BT-D-Z-PLT-3-1-x25

Ball Probe Offset Plate 3"x1"x.25" with 0.25" Hole



BT-D-Z-PM

0.25" Pin Monument (Stainless Steel)



BT-D-Z-PM-6MM

6mm Probe Monument (Stainless Steel)



BT-D-Z-RPB-1

1" Remote Point Bar



BT-D-Z-RPB-10

10" Remote Point Bar



BT-D-Z-RPB-3

3" Remote Point Bar



BT-D-Z-RPB-5

5" Remote Point Bar



BT-D-Z-SP

Sharp Point



BT-D-Z-TSS

Tooling Sphere Seat



BTN-A-Z-BPS-12MM-25MM-Y

1.5" Ball Probe Seat Narrow-Body (1" Dia) with 12MM Pin and 25MM Offset



BT-RECERT

Laser Tracker Tooling Recertification



BT-Z-BUSH-x25-20mm

Bushing 0.25" to 20mm



BT-Z-BUSH-x25-x375

Bushing 0.25" to 0.375"

Laser Tracker Tooling

 BT-Z-BUSH-x25-x4375 Bushing 0.25" to 0.4375"	 BT-KIT-B-Sx5 Bulls Eye Laser Tracker Tooling Kit - 0.5" Standard with 0.5" offset
 BT-Z-BUSH-x25-x5 Bushing 0.25" to 0.5"	 BT-LAN-1x5-SB/RS Lanyard - with 1.5" SMR Clamp for Silverback or Rhino Series Ring
 BT-Z-BUSH-x25-x625 Bushing 0.25" to 0.625"	 BT-LAN-1x5-SO Lanyard - with 1.5" SMR Clamp for Solid SMR
 BT-Z-BUSH-x25-x75 Bushing 0.25" to 0.75"	 BT-LAN-x875-SB/RS Lanyard - with 0.875" SMR Clamp
 BT-CASE-C Laser Tracker Case for Bullseye Laser Tracker Tooling - Custom Black Case with Foam	 BT-LAN-x5-SB/RS Lanyard - with 0.5" SMR Clamp
 BT-CASE-STD Laser Tracker Case for Bullseye Laser Tracker Tooling - Standard Black Case with Foam	 RSM-1x5IN-KIT Scanner Sphere Kit - Reference Spheres and 1.5" Monuments
 BT-KIT-B-C Bulls Eye Laser Tracker Tooling Kit - Custom	 RSM-1x5IN-KIT-LK Custom Kit - Reference Spheres and Pin Nests (with Custom Foam)
 BT-KIT-B-M Bulls Eye Laser Tracker Tooling Kit - Metric	 TB-x5-x5-x25 Tooling Ball, 0.5" Diameter, 0.5" Offset, 0.25" Pin
 BT-KIT-B-S Bulls Eye Laser Tracker Tooling Kit - 1.5" Standard	